Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in

the application:

**Listing of Claims:** 

1. (Currently Amended) A stylus for use with a touch screen having a

digitizer, said stylus comprising:

an elastic member;

a first end cap tapered to a point and coupled to said elastic member.

wherein said first end cap is for interfacing with said digitizer;

a second end cap coupled to said elastic member; and

a plurality of interlocking mid-segments coupled to said elastic member

between said first end cap and said second end caps.

2. (Original) A stylus as described in Claim 1 wherein said mid-segments

are operable to interlock with each other, said first end cap and said second end

cap to form a rigid member.

3. (Original) A stylus as described in Claim 2 wherein said stylus is operable

to become flexible when said first end cap is pulled away from said second end

cap to disengage interlocking members of said mid-segments and said first and

second end caps.

Page 2

Examiner: SHANKAR, V. Group Art Unit: 2673

PALM-3748.SG Serial No. 10/087,306

- 4. (Original) A stylus as described in Claim 1 wherein said elastic member is a spring.
- 5. (Original) A stylus as described in Claim 1 wherein said elastic member covers the outside of the stylus.
- 6. (Original) A stylus as described in Claim 1 wherein said stylus locks together by twisting said first end cap relative to said second end cap.
- 7. (Currently Amended) A stylus as described in Claim 1 wherein said plurality of <u>interlocking</u> mid-segments are <u>a plurality of hollow interlocking mid-segments</u>.
- 8. (Currently Amended) A stylus as described in Claim 7 wherein said elastic member is a spring and wherein said spring comprises hooks on both ends and wherein said spring is extended within said hollow <u>interlocking</u> mid-segments.

9. (Currently Amended) A portable electronic device comprising:

a processor coupled to a bus;

memory coupled to said bus;

a touch sensitive display screen coupled to said bus; and

a stylus comprising:

an elastic member;

a first end cap tapered to a point and coupled to said elastic

member wherein said first end cap is for interfacing with an

electronic digitizer of said portable electronic device;

a second end cap coupled to said elastic member; and

a plurality of hollow interlocking mid-segments coupled to

said elastic member between said first end cap and said second

end caps.

10. (Original) A portable electronic device as described in Claim 9 wherein

said plurality of mid-segments comprise interlocking members to interlock with

each other, said first end cap and said second end cap to form a rigid member.

11. (Original) A portable electronic device as described in Claim 10 wherein

said stylus becomes flexible when said first end cap is pulled away from said

second end cap to disengage said interlocking members.

12. (Original) A portable electronic device as described in Claim 10 wherein

said elastic member is a spring.

13. (Original) A portable electronic device as described in Claim 10 wherein

said elastic member covers the outside of the stylus.

14. (Original) A portable electronic device as described in Claim 10 wherein

said stylus locks together by twisting said first end cap relative to said second

end cap.

15. (Canceled)

16. (Previously Presented) A portable electronic device as described in Claim

9 wherein said elastic member is a spring comprising hooks on both ends and

wherein said elastic member is located inside said plurality of hollow interlocking

mid-segments.

(Previously Presented) A portable electronic device as described in Claim

10 wherein said stylus can be simultaneously stored along more than one side of

said portable electronic device.

18. (Original) A portable electronic device a described in Claim 10 wherein

said portable electronic device is a PDA (personal digital assistant).

PALM-3748.SG Serial No. 10/087,306

19. (Currently Amended) A bendable stylus for use with a miniaturized portable electronic device, said stylus comprising:

an elastic member;

a first end cap tapered to a point and coupled to said elastic member, said first end cap for interfacing with a digitizer of said portable electronic device;

a second end cap coupled to said elastic member; and

a plurality of interlocking mid-segments coupled to said elastic member between said first end cap and said second end caps.

- 20. (Original) A stylus as described in Claim 19 wherein said plurality of midsegments interlock with each other, said first end cap and said second end cap to form a rigid member.
- (Original) A stylus as described in Claim 20 wherein said stylus becomes 21. flexible when said first end cap is pulled away from said second end cap to disengage said plurality of mid-segments.
- 22. (Original) A stylus as described in Claim 19 wherein said elastic member is a spring.
- (Previously Presented) A stylus as described in Claim 19 wherein said 23. elastic member covers the outside of said stylus.

PALM-3748.SG Page 6 Examiner: SHANKAR, V. Group Art Unit: 2673 Serial No. 10/087,306

- 24. (Previously Presented) A stylus as described in Claim 19 wherein said elastic member is a spring and wherein said spring comprises hooks on both ends and wherein said spring is located inside said plurality of mid-segments.
- 25. (Original) A stylus as described in Claim 19 wherein said elastic member is a clear tube.
- 26. (Previously Presented) A stylus as described in Claim 26 wherein one or more of said plurality of mid segments are different colors.